

ROMA HERRINGBONE COLLECTION

ROMA HERRINGBONE

Collection

ITALIAN
FLOORING
SYSTEM

Resilient
Vinyl Flooring



ROMA HERRINGBONE COLLECTION
ITALIAN FLOORING SYSTEM
MORENO LUMBER
RHB-S3158

ROMA HERRINGBONE

Collection

The Benefits

ROMA HERRINGBONE Collection is a creative solid click incorporating superior product performance. Herringbone design offer unsurpassed wood visuals with ease of maintenance. The surface is impervious to water and protects against the growth of bacteria and fungi. The product is eco-friendly and being glue-less, they contribute to improved indoor air quality. The flooring is fire retardant and has high resistance to scuffing and scratches as compared to natural wood.

Application

ROMA HERRINGBONE Collection is suitable for use in the residential and light commercial environment. In residential, it can be fitted in the bedroom, study, living and dining area. It can also be installed in dry kitchen and entrance of bathroom by sealing the perimeter edges with silicon caulk. It can be readily installed over existing hard surfaces, and thus eliminating the need for hacking and removal of existing flooring. It is also recommended for use in light commercial with no heavy rolling loads. The recommended static load limit is 700 pounds per laden furniture.

ROMA HERRINGBONE COLLECTION
ITALIAN FLOORING SYSTEM
NEGAI MAPLE
RHB-S3125



ROMA HERRINGBONE COLLECTION
ITALIAN FLOORING SYSTEM
ASHEN GRAIN
RHB-S3112



ROMA HERRINGBONE COLLECTION
ITALIAN FLOORING SYSTEM
BRWONIE TIMBER
RHB-S3133



ROMA HERRINGBONE COLLECTION
ITALIAN FLOORING SYSTEM
COFFEE WOODS
RHB-S3166



ROMA HERRINGBONE COLLECTION
ITALIAN FLOORING SYSTEM
CEMENT GREY
RHB-S3232

SPECIFICATION & TESTING

DIMENSION	PLANK: 128 x 630 x 4.5 mm TILE: 465 x 1220 x 5.0 mm
WEAR LAYER	ISO 24340 0.3 mm (Micro Bevelled Edge)
CURLING	ISO 23999 < 2mm
PACKING	16 PLANKS / BOX (1.29 m²) 4 TILES / BOX (2.27 m²)
DIMENSIONAL STABILITY	ISO 23999 <0.20 %
DIMENSION SQUARENESS	ISO 24342 0.18 mm
DIMENSION STRAIGHTNESS	ISO 24342 0.07 mm
EFFECT OF CASTER CHAIR	No Visible Damage
STAIN RESISTANCE	ISO 26987
CLASSIFICATION (LEVEL OF USE)	EN 429 HEAVY DOMESTIC & LIGHT COMMERCIAL 23/33/42
IMPACT SOUND INSULATION	ISO 717-2 6 Db
COLOUR FASTNESS	ISO 105-B02 >6 Degree
FIRE CLASSIFICATION	EN 13501-1 Bfl-s1
ELECTRICAL PROPENSITY	EN 1815 <2 Kv
CIGARETTE BURN RESISTANCE	EN 1399 Class 3
SLIP RESISTANCE	SS 485 (Dry/Wet) >0.4 Class X COF/CI
FORMALDEHYDE EMISSION	EN 717-2 NOT DETECTED
PENTACHLOROPHENOL	EN 14041 NOT DETECTED
HEAVY METAL	EN71 PART 3 NOT DETECTED
PHTHALATE	EN14372: 2004 NOT DETECTED
ANTIMICROBLALACTITIES	ISO 22196 (BACTERIA) >99% REDUCTION ISO 846 (FUNGI) NO GROWTH OBESERVED

All product specifications and colouration are subject to industry manufacturing tolerances.

When properly installed and cared for accordingly, ROMA HEARINGBONE Collection offers a 10 years product warranty for residential wear durability.

By following the installation and care, ROMA HEARINGBONE Collection will provide a beautiful and lasting floor for many years to come.